





Turn the water into your ultimate playground. Engineered to live up to one of the most iconic names in water sports, every Kawasaki JET SKI® watercraft delivers unmistakable excitement. Dominate the waves with thrilling performance, innovative technology and exclusive features.




Kawasaki side x sides, ATVs and JET SKI® watercraft are assembled by Kawasaki Motors Manufacturing Corp., U.S.A. from foreign and domestic parts in Lincoln, NE.
















V-SHAPE HULL

The V-shape hull design offers an ideal combination of light handling and agility for stand-up performance like never before. The hull carries the engine low and central for balanced weight distribution, resulting in exceptional cornering performance and outstanding handling both in straight lines and in turns.









KAWASAKI SMART STEERING®

The Kawasaki Smart Steering® system assists handling under certain conditions by simultaneously monitoring the steering input and the engine speed. The system offers assistance when the throttle is released from high speed and a turn is initiated.














SUPERCHARGED VERSATILITY

The JET SKI® Ultra® 310 Series offers the most powerful production personal watercraft in the world. With three-passenger seating and premium technology, JET SKI Ultra 310 Series watercraft are built for anything from leisurely cruises on the lake to off-shore races across the ocean. Whether you're taking on the competition with the race-ready JET SKI® Ultra® 310R or cruising through the waves while listening to your favorite tunes aboard the JET SKI® Ultra® 310LX, a class-leading 20.6-gallon fuel capacity and 56-gallon storage compartment let you ride the water all day long with everything you need.








RIDING MODES & CRUISE CONTROL

by the Electronic Throttle Valve (ETV) is controlled by the Electronic Control Unit (ECU) and allows multiple riding modes to be activated. Cruise through no-wake zones with one-touch 5 mph mode, while Fuel Economy Assistance mode optimizes fuel efficiency. To aid newer riders, the key-activated Smart Learning Operation (SLO) mode reduces engine power output and top speed







DEEP-V HULL

The advanced deep-V hull design is inspired by Kawasaki's championship-winning race machines, with a 22.5-degree hull angle that allows the watercraft to penetrate swells and waves with great efficiency and less shock. Tuned sponsons help provide straight-line stability and high-grip performance in turns.










GRIPPER SEAT MATERIAL

The JET SKI® Ultra® 310R is equipped with a sport seat designed specifically for aggressive sport riding. The moderate contour and integrated central bolster of the seat supports the rider's hips, while the textured motocross-style seat cover adds traction at the rider interface for enhanced lower body support.










WATER-BOUND THRILL

The thrilling ride offered by JET SKI® Ultra® 310 Series watercraft starts with the JET SKI® Ultra® 310X. Fueled by a 1,498cc four-cylinder supercharged engine inspired by Ninja® motorcycle-derived technology, the JET SKI Ultra 310X is boosted by an Eaton Twin Vortices Series (TVS) supercharger for breathtaking power. With three-passenger seating and 20.6-gallon fuel capacity, the JET SKI Ultra 310X is set for a full day of fun on the water.







Ebony/Lime Green

JET SKI® ULTRA® 310R

- 1,498cc, In-line 4-cylinder Marine Engine with Supercharger
- Electronic Throttle Valve (ETV), Cruise Control and 5 mph Mode
- Sealed 56-gallon Storage Capacity
- Kawasaki Smart Steering®
- Smart Learning Operation (SLO)
- 18-position Adjustable Handlebar with Optional Accessory
- Sport Performance Seat Design with Gripper-style Material



Ebony/Candy Lime Green

JET SKI® ULTRA® 310LX

- 1,498cc, In-line 4-cylinder Marine Engine with Supercharger
- Electronic Throttle Valve (ETV), Cruise Control and 5 mph Mode
- Sealed 56-gallon Storage Capacity
- Kawasaki Smart Steering®
- 5-position Adjustable Handlebar
- JETSOUND® Audio System
- **GPS Mount**
- LXury Seat with Heat-resistant Material



Ebony/Candy Steel Furnace Orange

JET SKI® ULTRA® 310X SE

- 1,498cc, In-line 4-cylinder Marine Engine with Supercharger
- Electronic Throttle Valve (ETV), Cruise Control and 5 mph Mode
- Sealed 56-gallon Storage Capacity
- Kawasaki Smart Steering®
- 5-position Adjustable Handlebar
- **Special Edition Paint and Graphics**
- **Sport Seat**



JET SKI® ULTRA® 310X

- 1,498cc, In-line 4-cylinder Marine Engine with Supercharger
- Electronic Throttle Valve (ETV), Cruise Control and 5 mph Mode
- Sealed 56-gallon Storage Capacity
- Kawasaki Smart Steering®
- 5-position Adjustable Handlebar



2019 JET SKI® WATERCRAFT


SPEGS



	JET SKI® ULTRA® 310LX	JET SKI® ULTRA® 310R	JET SKI® ULTRA® 310X SE
ENGINE	Supercharged and intercooled, 4- stroke, DOHC, four valves per cylinder, inline 4-cylinder	Supercharged and intercooled, 4- stroke, DOHC, four valves per cylinder, inline 4-cylinder	Supercharged and intercooled, 4- stroke, DOHC, four valves per cylinder, inline 4-cylinder
DISPLACEMENT	1,498cc	1,498cc	1,498cc
BORE X STROKE	83.0 x 69.2mm	83.0 x 69.2mm	83.0 x 69.2mm
COMPRESSION RATIO	8.2:1	8.2:1	8.2:1
INDUCTION	Eaton Twin Vortices Series Roots- type supercharger with air-to-water intercooler	Eaton Twin Vortices Series Roots- type supercharger with air-to-water intercooler	EatonTwin Vortices Series Roots-type supercharger with air-to-water intercooler
MAXIMUM BOOST	16.8 psi	16.8 psi	16.8 psi
COOLING SYSTEM	Inducted water	Inducted water	Inducted water
FUEL SYSTEM	DFI® with 60mm throttle body	DFI® with 60mm throttle body	DFI® with 60mm throttle body
IGNITION	TCBI with digital advance	TCBI with digital advance	TCBI with digital advance
STARTING SYSTEM	Electric	Electric	Electric
PROPULSION SYSTEM	160mm jet pump, axial-flow, single stage	160mm jet pump, axial-flow, single stage	160mm jet pump, axial-flow, single stage
IMPELLER	3-blade, oval-edge stainless steel	3-blade, oval-edge stainless steel	3-blade, oval-edge stainless steel
THRUST	1890 lb	1890 lb	1890 lb
LUBRICATION	Semi-dry sump system	Semi-dry sump system	Semi-dry sump system
COUPLING	Direct drive from engine	Direct drive from engine	Direct drive from engine
OIL CAPACITY	5.8 qt	5.8 qt	5.8 qt
FUEL CAPACITY	20.6 gal	20.6 gal	20.6 gal
LOAD CAPACITY	496 lb	496 lb	496 lb
STORAGE CAPACITY	56.0 gal	56.0 gal	56.0 gal
OVERALL LENGTH	132.7 in	132.7 in	132.7 in
OVERALL WIDTH	47.0 in	47.0 in	47.0 in
OVERALL HEIGHT	49.4 in	45.3 in	45.3 in
CURB WEIGHT	1073.8 lb**	1047.4 lb**	1051.8 lb**
SEATING CAPACITY	3	3	3
COLOR CHOICES	Ebony/Candy Lime Green	Ebony/Lime Green	Ebony/Candy Steel Furnace Orange
WARRANTY	12 Month Limited Warranty	12 Month Limited Warranty	12 Month Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24, 36, or 48 months	12, 24, 36, or 48 months	12, 24, 36, or 48 months

^{**}Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). Specifications subject to change.

2019 JET SKI® 310 SERIES



JET SKI® ULTRA® 310X

	JET SKI® ULTRA® 310X	
ENGINE	Supercharged and intercooled, 4- stroke, DOHC, four valves per cylinder, inline 4-cylinder	
DISPLACEMENT	1,498cc	
BORE X STROKE	83.0 x 69.2mm	
COMPRESSION RATIO	8.2:1	
INDUCTION	Eaton Twin Vortices Series Roots- type supercharger with air-to-water intercooler	
MAXIMUM BOOST	16.8 psi	
COOLING SYSTEM	Inducted water	
FUEL SYSTEM	DFI® with 60mm throttle body	
IGNITION	TCBI with digital advance	
STARTING SYSTEM	Electric	
PROPULSION SYSTEM	160mm jet pump, axial-flow, single stage	
IMPELLER	3-blade, oval-edge stainless steel	
THRUST	1890 lb	
LUBRICATION	Semi-dry sump system	
COUPLING	Direct drive from engine	
OIL CAPACITY	5.8 qt	
FUEL CAPACITY	20.6 gal	
LOAD CAPACITY	496 lb	
STORAGE CAPACITY	56.0 gal	
OVERALL LENGTH	132.7 in	
OVERALL WIDTH	47.0 in	
OVERALL HEIGHT	45.3 in	
CURB WEIGHT	1051.8 lb**	
SEATING CAPACITY	3	
COLOR CHOICES	Ebony/Sunbeam Red	
WARRANTY	12 Month Limited Warranty	
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24, 36, or 48 months	

^{**}Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Specifications subject to change.

	JET SKI® ULTRA® LX	JET SKI® ULTRA® STX – 15F	JET SKI® ULTRA®SX-R
ENGINE	4-stroke, DOHC, four valves per cylinder, 4-cylinder inline	4-stroke, DOHC, four valves per cylinder, 4-cylinder inline	4-stroke, DOHC, four valves per cylinder, 4-cylinder inline
DISPLACEMENT	1,498cc	1,498cc	1,498cc
BORE X STROKE	83.0 x 69.2mm	83.0 x 69.2mm	83.0 x 69.2mm
COMPRESSION RATIO	10.6:1	10.6:1	10.6:1
INDUCTION	Naturally aspirated	Naturally aspirated	Naturally aspirated
MAXIMUM BOOST	N/A	N/A	N/A
COOLING SYSTEM	Inducted water	Inducted water	Inducted water
FUEL SYSTEM	DFI® with 60mm throttle body	DFI® with 60mm throttle body	DFI® with 60mm throttle body
IGNITION	TCBI with digital advance	TCBI with digital advance	TCBI with digital advance
STARTING SYSTEM	Electric	Electric	Electric
PROPULSION SYSTEM	155mm jet pump, axial-flow, single stage	148mm jet pump, axial-flow, single stage	148mm Jet pump, axial-flow, single stage
IMPELLER	3-blade, oval-edge stainless steel	3-blade, oval-edge stainless steel	3-blade, oval-edge stainless steel
THRUST	957 lb	957 lb	957 lb
LUBRICATION	Semi-dry sump system	Semi-dry sump system	Semi-dry sump system
COUPLING	Direct drive from engine	Direct drive from engine	Direct drive from engine
OIL CAPACITY	5.3 qt	5.3 qt	5.3 qt
FUEL CAPACITY	20.6 gal	16.4 gal	6.1 gal
LOAD CAPACITY	496 lb	496 lb	1-person
STORAGE CAPACITY	60.0 gal	23.5 gal	N/A
OVERALL LENGTH	132.7 in	122.8 in	104.5 in
OVERALL WIDTH	47.0 in	46.5 in	30.1 in
OVERALL HEIGHT	45.3 in	41.3 in	33.1 in
CURB WEIGHT	932.7 lb**	844.5 lb**	551.3 lb**
SEATING CAPACITY	3	3	1
COLOR CHOICES	Ebony/Metallic Tungsten Gray	Ebony/Lime Green	Ebony/Lime Green
WARRANTY	12 Month Limited Warranty	12 Month Limited Warranty	12 Month Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24, 36, or 48 months	12, 24, 36, or 48 months	12, 24, 36, or 48 months

^{**}Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). Specifications subject to change.

Zedmotorz

Surra 45703, Kuwait,

PHONE: +96524828072 **FAX:** +96524828073

EMAIL: zed@zedmotorz.com **WEBSITE:** www.zedmotorz.com

LIMITED WARRANTY

Your new Kawasaki JET SKI® watercraft comes with a 12-month limited warranty.

UP TO FOUR YEARS ADDITIONAL COVERAGE

Let Kawasaki protect your new JET SKI® watercraft for years to come with Kawasaki Protection Plus™. This plan repairs or replaces covered components free of charge if found defective in material or workmanship. Everything about the plan is easy: There's no deductible. It's honored at every authorized Kawasaki dealer nationwide. It's transferable to another owner with no fee. Just ask your dealer how you can buy additional coverage of 12, 24, 36 or 48 months, depending on the model and plan purchased. FL Lic #65500, Kawasaki Motors Corp., U.S.A., PO Box 25252, Santa Ana, CA 92799, (949) 770-0400.

KAWASAKI CARES

Ride responsibly. Kawasaki believes safety begins with us and continues with you. Always wear a USCG-approved personal flotation device, eyewear and other appropriate safety apparel. Never ride under the influence of drugs or alcohol. Respect the rights of shoreline residents and other marine recreationists. Boat smart from the start. Take a Boating Safety course; for more information visit www.USCGBoating.org. JET SKI® watercraft are inboard powerboats and their use is subject to all applicable federal, state and local boating laws. Read Owner's Manual and all on product warnings. ©2018 Kawasaki Motors Corp., U.S.A.





All trademarks, registered trademarks, logos and copyrights are the property of their respective owners. Accessorized unit shown.

P/N 99969-3732 Printed in the U.S.A.



